







FICOTHERM®  
HARDWOOD

DECKINGS

*high-tech nature*

# WOODEN FLOORINGS

WIDE PLANKS




MADE IN GERMANY



## *European wood species, exotic colours*

As pure natural raw material wood is one of our most important and most beautiful building materials. Colours we only know from seldom wood and from tropical wood are a "side effect" of the new thermo treatment depending from intensity and duration of the treatment. The dark and warm colours from ochre to brownish black provide a pleasant atmosphere, warmth and inviting cosiness.


By the thermal treatment the **FICOTHERM®** wooden floorings are completely coloured. To ensure that the dark surfaces which are only treated with natural oils are resistant to scratches a first treatment with a special care paste is necessary.



oak medium



oak dark



maple



beech



ash medium



ash dark

### ADVANTAGES OF FICOTHERM®

The basic material for FICOTHERM® wooden flooring is hardwood from indigenous woods: the colourfulness of oak, ash, european maple and beech exceeds every tropical wood. And beside this the trees are growing again because our forestry takes care that the trees which were cut are replaced by new plantings!

- \_ highly minimized degree of swelling and shrinking
- \_ increased dimension stability
- \_ reduction of inner strain
- \_ natural thermal treatment without chemicals
- \_ ash: durability class 1 (important for outdoor use)

### Stable in form and long-lasting

FICOTHERM®-Ash decking is made from excellent graded wood. High-tech finishing effects a weatherproof decking of highest quality. The heat-treated wood hardly shows any cracks or deformities and has a flawless surface.

Added to which it absorbs little water and dries quickly, making FICOTHERM®-Ash the only wood produced in Europe suitable for "barefoot" areas such as lounge decks and swimming pool surroundings.

## FICOTHERM® *high quality*

- offer of a wide range of species
- only the best timber is selected, various grades
- real wood: FICO Floorings are an entirely natural product and as a consequence after a certain time, natural colour changes occur. Lighter timber turns darker while darker timber becomes lighter (especially during the first 3 – 6 months)
- special engineered 3-layer-structure with a top layer of 4 mm hardwood
- the profile: precise production thanks to exact profile measuring ensures a perfect installation
- the slight bevel intensifies the visual effect of every single plank and emphasises the unique wide plank character
- variation of surfaces: sanded (brushed for oak and ash) oiled naturally or white oil





## *wide plank floorings*

### **FICOTHERM®**


oak medium  
oak dark

ash medium  
ash dark

european maple  
beech

The large number of possible woods and colours allows to choose the flooring according to the architectural effect and congenial to your furnishing. Due to the gluing in three layers the floor has a high dimensional stability. Long planks are laid floatingly or are installed with a full surface gluing. Additionally, all FICOTHERM®-planks are adapted for floor heating systems.

Classic elegance and exotic colours make this FICOTHERM® wood flooring timelessly modern. This flooring will shape your rooms and shed comfort.





**HARDWOODS** oak  
european maple  
ash

**OIL-SURFACE**  
**for a wholesome climate at home – see, feel and smell wood**

The oil penetrates especially intensively into the wood pores and hardens inside the wood.

The floor becomes durable and easy to maintain.

The wood retains all of those characteristics that are so important for a good room climate and the wood structure is retained.

The surface is given a fine, silky polish and gives a velvety feeling of the wood that is very pleasant to experience.

**Advantages of FICO-oil surfaces:**

- direct contact with wood
- protects the wood
- easy to repair local spots
- easy to maintain with soap and maintenance paste
- based on natural oils
- free from formaldehyde and solvents

In a white oiled surface, white pigments lighten the natural colour of the wood.

**Products for Maintenance and care:**


- Maintenance paste: for the aftercare and maintenance of oiled wood floors, especially for FICOTherm-Floorings. Use a polishing machine for applying the maintenance paste on large surfaces.
- Natural soap/white soap: for maintenance and cleaning oiled floorings.



Long planks, FICOTHERM® ash



FICOCLIP wood tiles, FICOTHERM® ash



As wood is a natural product its colour is going to change in time into a silver grey.

### OUTDOOR-DECKINGS for balcony and terrace

Long Planks, FICOTHERM® ash  
(to be screwed on underconstruction)

FICOCLIP wood tiles,  
FICOTHERM®-ash, -pine  
(elements ready to lay)

Simple, elegant and 100 % nature – long planks and FICOCLIP-wood tiles are the basis of a durable flooring for terraces, swimming pool surrounds, balconies, paths or outdoor lounges in wellness oases.

All deckings are made of best, selected wood. Highest quality for your balkony or your terrace made of thermically treated ash or pine.



**FICO Fickler GmbH & Co. · Holzwerk**  
Osterriederstraße 25 – 27  
D-87763 Lautrach/Germany  
T +49 (0)8394 922-0 F 922-99  
info@fico.de  
[www.fico.de](http://www.fico.de)



FICO natural oil surfaces:  
„biologically recommended“  
(according to certificate of IBR)